

SPIDER+ series



PERFORMANCE
iN LIGHTING

SPIDER+ series



available
from
2021



available
from
2021



SPIDER+ POST
p. 7

SPIDER+ 10 KIT
p. 3

SPIDER+ 10
p. 3


SPIDER+ 20
p. 4

SPIDER+ 30
p. 5

SPIDER+ 10

available from 2021

design by GIORGIO LODI



● BK-81 / Black / Textured

SPIDER+ 10 S/EW

IK06 1J xx3


WATTAGE	CRI	KELVIN	OPTIC	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz										
10 W	80	4000	S/EW	1485 lm	634 lm	70	10	35000 h	●	3108610
10 W	80	3000	S/EW	1350 lm	611 lm	70	10	35000 h	●	3108608



S/EW




3m cable



SPIDER+ 10 KIT S/EW

IK06 1J xx3

WATTAGE	CRI	KELVIN	OPTIC	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz										
10 W	80	4000	S/EW	1485 lm	634 lm	70	10	35000 h	●	3108613
10 W	80	3000	S/EW	1350 lm	611 lm	70	10	35000 h	●	3108612



S/EW

ACCESSORIES

DESCRIPTION	COLOR	PART NUMBER
SPIDER+ 10		
Connection Kit Y 3-way D.14-17mm IP68		310495
Connection Kit Y 3-way D.7-10.5mm IP68		310496
Connection Kit D.7-10.5mm IP68.		310513
Ground spike	●	700191




310495
310496

310513

● **700191**

SPIDER+ 20

design by GIORGIO LODI



● BK-81 / Black / Textured

SPIDER+ 20 S/W

IK05 0.8J xx3


WATTAGE	CRI	KELVIN	OPTIC	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz										
37/51 W	80	4000	S/W	6967 lm	6179 lm	70	10	70000 h	●	3106050
37/51 W	80	3000	S/W	6677 lm	5921 lm	70	10	70000 h	●	3106051



SPIDER+ 20 A/EW


IK05 0.8J xx3

WATTAGE	CRI	KELVIN	OPTIC	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz										
37/51 W	80	4000	A35/EW	6967 lm	6005 lm	70	10	70000 h	●	3106052
37/51 W	80	3000	A35/EW	6677 lm	5754 lm	70	10	70000 h	●	3106053



OPTIONAL ACCESSORIES


DESCRIPTION	COLOR	PART NUMBER
SPIDER+ 20		
Wall support 500 mm	●	3107120
Wall support 1000 mm	●	3107121
Connection box IP 66		14174220



3107120 3107121 14174220

SPIDER+ 30

design by GIORGIO LODI



● BK-81 / Black / Textured

SPIDER+ 30 S/W

IK06 1.2J xx3

WATTAGE	CRI	KELVIN	OPTIC	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz										
74/101 W	80	4000	S/W	13934 lm	11987 lm	70	10	70000 h	●	3106054
74/101 W	80	3000	S/W	13354 lm	11486 lm	70	10	70000 h	●	3106055



SPIDER+ 30 A/EW


IK06 1.2J xx3

WATTAGE	CRI	KELVIN	OPTIC	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz										
74/101 W	80	4000	A35/EW	13934 lm	11649 lm	70	10	70000 h	●	3106056
74/101 W	80	3000	A35/EW	13354 lm	11162 lm	70	10	70000 h	●	3106057



OPTIONAL ACCESSORIES

DESCRIPTION	COLOR	PART NUMBER
SPIDER+ 30		
Wall support 500 mm	●	3107120
Wall support 1000 mm	●	3107121
Connection box IP 66		14174220



3107120

3107121

14174220



SPIDER+ 20


SPIDER+ 30



37 W



74 W



S/W
symmetric wide reflector



A35/EW
asymmetric extra wide reflector





SPIDER+ POST

available from 2021



design by GIORGIO LODI




● BK-81 / Black / Textured

SPIDER+ POST A/EW

IK06 1J xx3

WATTAGE	CRI	KELVIN	OPTIC	LIGHTSOURCE LUMEN OUTPUT	LUMINAIRE LUMEN OUTPUT	L	B	LIFETIME	COLOUR/ RAL	PART NUMBER
Power LED 220-240 V 50/60 Hz										
37/51 W	80	4000	A35/EW	6967 lm	6005 lm	70	10	70000 h	●	3109057
37/51 W	80	3000	A35/EW	6677 lm	5754 lm	70	10	70000 h	●	3109056



OPTIONAL ACCESSORIES

DESCRIPTION	COLOR	PART NUMBER
SPIDER+ POST		
Painted die-cast aluminium pole-mounting joint for pole Ø 76 mm	●	3109437



3109437

PERFORMANCE **iN** LIGHTING

The data contained in this brochure is for reference purposes only and does not involve any commitment by Performance iN Lighting S.p.A., which reserves the right to make all necessary changes without prior notice. Partial or complete reproduction of this brochure is forbidden.



PERFORMANCE iN LIGHTING S.p.A.

Viale del Lavoro 9/11
37030 Colognola ai Colli (VR) - Italia
Ph +39 045 61 59 211
Fax +39 045 61 59 292

www.performanceinlighting.com

